### PATENT COOPERATION TREATY

# **PCT**

REC'D	1	2	VOV	2004
WIPO				PCT

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

15 FES 200E

Applicant's or agent's file reference					
P 20170 PC 00	FOR FURTHER ACTION See Form PCT/IPEA/416				
International application No.	International filing date (day/month/year)	Priority date (day/month/year)			
PCT/NO20030/00283	18.08.2003	19.08.2002			
International Patent Classification (IPC)	or national classification and IPC	13.08.2002			
F16L 19/02,55/00,B25E	3 27/16,E21B 17/02				
Applicant					
Marine Direct Consult	ants Ltd et al				
This report is the international pre- Authority under Article 35 and tr	eliminary examination report, established by the ansmitted to the applicant according to Article	is International Preliminary Examining 36.			
2. This REPORT consists of a total	of 4 sheets, including this cover				
3. This report is also accompanied b		·			
	-				
a. (sent to the applicant	and to the International Bureau) a total of 2	sheets, as follows:			
sheets of the and/or sheets					
sheets which	supersede earlier sheets but which this Author	ity considers contain an army to the			
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.					
b. (sent to the Internatio	nal Bureau only) a total of (indicate type and n	umber of electronic carrier(s))			
readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).					
4. This report contains indications re	lating to the following items:				
	the report				
Box No. II Priority					
Box No. III Non-est	ablishment of opinion with regard to novelty, is	eventive step and industrial applicability			
Box No. IV Lack of	unity of invention	p modernity			
Box No. V Reasone applicab	<u> </u>				
Box No. VI Certain	documents cited	u statement			
Box No. VII Certain	defects in the international application				
Box No. VIII Certain observations on the international application					
Date of submission of the demand					
	Date of completion of	of this report			
11.03.2004					
	03.11.2004				
Name and mailing address of the IPEA/SE Patent- och registreringsverket	Authorized officer	Authorized officer			
Box 5055		l			
S-102 42 STOCKHOLM  Facsimile No. +46 9 667 72 00					
Facsimile No. +46 8 667 72 88	Telephone No. 4 c	Telephone No. +46 8 782 25 00			
Form PCT/IPEA/409 (cover sheet) (January 2004)					

### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/NO20030/00283

Box	No. I	Basis of the report
1.	With a	gard to the language, this report is based on the international application in the language in which it was filed, unle
		his report is based on a translation from the original language into the following language  hich is the language of a translation furnished for the purposes of:
		international search (under Rules 12.3 and 23.1(b))
		publication of the international application (under Rule 12.4)
		international preliminary examination (under Rules 55.2 and/or 55.3)
2.	J	gard to the elements of the international application, this report is based on (replacement sheets which have be to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed not annexed to this report):
		he international application as originally filed/furnished
	$\boxtimes$	he description:
		pages 1-12 as originally filed/furnished
		received by this Authority on
	K-21	pages* received by this Authority on
	$\boxtimes$	he claims:
		as originally filed/furnished
		as amended (together with any statement) under Article 19
		received by this Authority on 27.10.2004 received by this Authority on
	$\square$	received by this Authority on he drawings:
		norm 1.10
		as originally filed/furnished received by this Authority on
		received by this Authority on
		sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.
3.		The amendments have resulted in the cancellation of:
		the description, pages
		the claims, Nos.
		the drawings, sheets/figs
		the sequence listing (specify):
		any table(s) related to the sequence listing (specify):
4.		This report has been established as if (some of) the amendments annexed to this report and listed below had not been ade, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rui 0.2(c)).
		the description, pages
		the claims, Nos.
		the drawings, sheets/figs
		the sequence listing (specify):
		any table(s) related to the sequence listing (specify):
		applies, some or all of those sheets may be marked "superseded."

Form PCT/IPEA/409 (Box No. I) (January 2004)

### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/NO20030/00283

Box No. V Reasoned statement u citations and explana	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement				
1. Statement					
Novelty (N)	Claims Claims	1-9	YES NO		
Inventive step (IS)	Claims Claims	1-9	YES NO		
Industrial applicability (IA)	Claims Claims	1-9	YES NO		
	1. Statement  Novelty (N)  Inventive step (IS)	1. Statement  Novelty (N)  Claims  Claims  Inventive step (IS)  Industrial applicability (IA)  Claims	Citations and explanations supporting such statement  1. Statement  Novelty (N)  Claims  Inventive step (IS)  Claims  Industrial applicability (IA)  Claims  1-9  Claims		

### 2. Citations and explanations (Rule 70.7)

#### Cited documents:

D1: US4012059 A
D2: US4093281 A
D3: US4153281 A
D4: GB707988 A
D5: US3353847 A

Documents D1-D3 each discloses pipe connections using tools for loading the connections. The claimed invention differs from the cited documents D1-D3 in that the preloading tool generates a pressure directed compressingly towards the pipes end portions to preload the seal, the pressure being retained by a corresponding threaded nut and collar after removal of the preloading tool. Therefore, documents D1-D3 are only a background art document.

The documents D4-D5 cited in the International Search Report also represent the prior art. The claimed invention is not considered to be anticipated by these documents.

None of the cited documents, taken alone or in combination, reveals the invention defined in claims 1-9. Furthermore, in the cited documents there are no suggestions leading a person skilled in the art towards the invention defined by claims 1-9. Consequently the invention is novel and is considered to involve an inventive step and to be industrially applicable.



International application No.
PCT/NO20030/00283

Box No	. VIII	Certain	observations	on the	international	l application
--------	--------	---------	--------------	--------	---------------	---------------

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

Claim 4 can not be referred to claim 1 and 2 because it comprises characteristic written in definite form, "the threaded collar's", not defined in claim 1 and 2.

Form PCT/IPEA/409 (Box No. VIII) (January 2004)

Patent application no. Applicant Date

10

15

20

25

30

PCT/NO03/00283

Marine Direct Consultants Ltd.

Oktober 27, 2004

#### Amended claims

- 1. A means of connecting pipes, comprising a seal (2), flanges (3, 3'), a threaded portion (17) and a nut (5), c h a r a c t e r i s e d i n that the end portion (1, 1') of the pipe is equipped with a concentric press surface (23) located immediately proximal to the periphery of the pipe (1, 1') and designed to be capable of taking an axial pressure from a preloading tool (25), the pressure directed compressingly towards the pipes' (1, 1') end portions, which pressure is distributed evenly or point-by-point about the periphery of the pipe and sufficient to preload the seal (2), the preload of the seal (2) principally being retained by a corresponding threaded nut (5) and collar (15) after removal of the preloading tool (25).
- 2. A means in accordance with Claim 1, characterised in that the nut (5) has a flange (10) designed to be able to take an axial pressure from the preloading tool (25), which pressure is distributed evenly or point-by-point about the periphery of the nut (5) and directed towards the pipe flange (3).
- 3. A means in accordance with Claim 1, characterised in that a threaded collar's (15) rear portion
  (19) is designed to be able to take an axial pressure
  from the preloading tool (25), which pressure is distributed evenly or point-by-point about the periphery of
  the collar (15) and directed towards the pipe flange
  (3').
- 4. A means in accordance with one or more of the previous Claims, characterised in that the

P20170PC00acb1 - 27,10,2004

threaded collar's (15) rear portion (19) has a toothed periphery.

- 5. A means in accordance with one or more of the previous Claims, characterised in that the nut's (5) rear portion (7) has a toothed periphery.
- 6. A means of compressing pipe couplings comprising two concentric press surfaces (10, 23) designed to be capable of supporting an axial pressure sufficient to preload a seal (2), characterised in that a preloading tool (25) is designed to compress the end portions of the pipes (1, 1'), further comprising two end sections (27, 31) connected to two or more rods (35), each rod (35) being equipped with a hydraulic cylinder (37), the preload on the seal (2) principally being retained by a corresponding threaded nut (5) and collar (15) after removal of the preloading tool (25).
- 7. A means in accordance with Claim 6, characterised in that the preloading tool (25) is comprising a nut runner (45).
- 20 8. A means in accordance with Claim 6, characterised in that the nut runner (45) is equipped with a cogwheel (49) allocated to the rotation of a threaded collar (15) with a toothed periphery of the rear portion (19).
- 9. A means in accordance with Claim 6, characterised in that the nut runner (45) is equipped with a cogwheel (49) allocated to the rotation of a nut (5) with a toothed periphery of the rear portion (7).

P20170PC00acb1 - 27.10.2004 .

10

15